

INTRODUCTION

The latest genomic routine international evaluation for **udder traits** took place as scheduled at the Interbull Centre. Data from 26 countries were included in this evaluation.

International genetic evaluations for udder health traits of bulls from Australia, Austria-Germany, Belgium, Canada, Czech Republic, Denmark-Finland-Sweden, Estonia, France, Hungary, Ireland, Israel, Italy, Japan, Netherlands, New Zealand, Norway, South Africa, Slovak Republic, Spain, Switzerland, the United Kingdom, the United States of America, Poland, Lithuania, Latvia and Portugal were computed. Holstein data were included in this evaluation.

BEL, CAN, DEU, ESP, FRA, DFS, GBR, ITA, NLD, POL, HUN submitted GEBVs.

mas: BEL, CAN, DEU, ESP, FRA, DFS, , , NLD, POL, HUN

scs: BEL, CAN, DEU, ESP, FRA, DFS, GBR, ITA, NLD, POL, HUN

CHANGES IN NATIONAL PROCEDURES

Changes in the national genetic evaluation of udder traits are as follows:

HUN (HOL) First participation

INTERBULL CHANGES COMPARED TO THE DECEMBER ROUTINE RUN

No changes in Interbull procedures

DATA AND METHOD OF ANALYSIS

Eleven Holstein populations sent GEBV data for up to 38 traits, while classical EBVs for the same traits were used in the analyses. Young bull GEBVs from the GEBV providers have been converted to the scales of all countries participating in classical MACE. A bull will get a MACE EBV or a GMACE EBV but not both.

From those eleven countries, National GEBVs of bulls less than seven years of age and with no classical MACE proofs were included for the breeding value prediction with a further requirement of either a MACE-PA or a GMACE-PA (for young genomic bulls with young genomic sires) being available.

The parameter-space approach is used for the GMACE genetic evaluations (Sullivan, 2016)

SCIENTIFIC LITERATURE

The international genetic evaluation procedure is based on international work described in the following scientific publications:

Sullivan, P.G. 2016. Defining a Parameter Space for GMACE. Interbull Bulletin 50, p 85-93.

VanRaden, P.M. and Sullivan, P.G. 2010. International genomic evaluation methods for dairy cattle. Gen. Sel. Evol. 42:7

Sullivan, P.G. and Jakobsen, J.H. 2012. Robust GMACE for young bulls methodology. Interbull Bulletin 45, Article 1.

Sullivan, P.G. 2012a. GMACE reliability approximation. Report to the GMACE working group of Interbull. GMACE_rels 2013

Sullivan, P.G. 2012b. GMACE variance estimation. Report to the GMACE working group of Interbull. GMACE_vce 2013

Sullivan, P.G. 2012c. GMACE Weighting Factors. Report to the GMACE working group of Interbull. GMACE_gedcs 2013

Jakobsen, J.H. and Sullivan, P.G. 2013. Trait specific computation of shared reference population. Reference sharing Nov 2013

NEXT ROUTINE INTERNATIONAL EVALUATION

 Dates for next routine run can be found on <http://www.interbull.org/ib/servicecalendar>

NEXT TEST INTERNATIONAL EVALUATION

 Dates for next routine run can be found on <http://www.interbull.org/ib/servicecalendar>

PUBLICATION OF INTERBULL ROUTINE RUN

 Results were distributed by the Interbull Centre to designated representatives in each country. The international evaluation file comprised international proofs expressed on the base and unit of each country included in the analysis. Such records readily provide more information on bull performance in various countries, thereby minimising the need to resort to conversions.

At the same time, all recipients of Interbull results are expected to honour the agreed code of practice, decided by the Interbull Steering Committee, and only publish international evaluations on their own country scale. Evaluations expressed on another country scale are confidential and may only be used internally for research and review purposes.

Table 1. National evaluation dates in GMACE run December 2017

Country	Date
CAN	20171201
DEU	20171205
DFS	20171107
FRA	20171206
GBR	20171027
NLD	20171201
ITA	20171108
HUN	20170901
BEL	20171201
ESP	20171114
POL	20171110

Table 2.

Number of bulls in reference population for	scs										
CAN	35618.0										
DEU	3050.0	35664.0									
DFS	2691.0	33040.0	34362.0								
FRA	3012.0	31927.0	31724.0	34256.0							
GBR	29203.0	2826.0	2530.0	2773.0	29749.0						
NLD	2776.0	33352.0	32831.0	31763.0	2546.0	35116.0					
ITA	27848.0	2006.0	1604.0	1883.0	26592.0	1849.0	28259.0				
HUN	1004.0	6139.0	5782.0	5948.0	956.0	6100.0	826.0	6600.0			
BEL	1398.0	1006.0	902.0	1050.0	915.0	999.0	1146.0	470.0	2719.0		
ESP	2765.0	33549.0	33619.0	32345.0	2577.0	33435.0	1645.0	6035.0	973.0	34775.0	
POL	3036.0	28802.0	28942.0	27960.0	2441.0	28845.0	1943.0	6059.0	1482.0	29416.0	31082.0

Number of bulls in reference population for	mas										
CAN	31617.0										
DEU	2976.0	34439.0									
DFS	2615.0	31887.0	33126.0								
FRA	2918.0	30750.0	30508.0	32803.0							
NLD	2711.0	32203.0	31684.0	30612.0	33925.0						
HUN	982.0	6136.0	5780.0	5941.0	6098.0	6577.0					
BEL	1390.0	1004.0	900.0	1044.0	998.0	470.0	2704.0				
ESP	2678.0	32369.0	32390.0	31101.0	32270.0	6033.0	969.0	33497.0			
POL	2984.0	27690.0	27806.0	26813.0	27729.0	6057.0	1481.0	28269.0	29933.0		