INTRODUCTION

The latest genomic test international evaluation for udder traits took place as scheduled at the Interbull Centre. Data from 21 countries were included in this evaluation.

International genetic evaluations for udder health traits of bulls were computed from: AUS BEL CAN CHE CZE DEU DFS ESP FRA GBR HUN IRL ISR ITA NLD NZL POL SVN USA ZAF JPN Holstein data were included in this evaluation.

BEL, CAN, DEU, ESP, FRA, DFS, GBR, ITA, NLD, POL, HUN submitted GEBVs.

mas: , CAN, DEU, ESP, FRA, DFS, , ITA, NLD, POL, HUN scs: BEL, CAN, DEU, ESP, FRA, DFS, GBR, ITA, NLD, POL, HUN

CHANGES IN NATIONAL PROCEDURES

Changes in the national genetic evaluation of uder traits are as follows:

CAN (HOL) Base change

FRA (HOL) Base change

NLD (HOL) Base change

DEU (HOL) Base change

ITA (HOL) Base change, one year cut off data

INTERBULL CHANGES COMPARED TO THE DECEMBER ROUTINE RUN

No changes in Interbull procedures

DATA AND METHOD OF ANALYSIS

Thirteen Holstein populations sent GEBV data for up to 38 traits, while classical EBVs for the same traits were used in the analyses. Young bull GEBVs from the GEBV providers have been converted to the scales of all countries participating in classical MACE. A bull will get a MACE EBV or a GMACE EBV but not both.

From those thirteen countries, National GEBVs of bulls less than seven years of age and with no classical MACE proofs were included for the breeding value prediction with a further requirement of either a MACE-PA or a GMACE-PA (for young genomic bulls with young genomic sires) being available.

The parameter-space approach is used for the GMACE genetic evaluations (Sullivan, 2016)

SCIENTIFIC LITERATURE

The international genetic evaluation procedure is based on international work described in the following scientific publications:

Sullivan, P.G. 2016. Defining a Parameter Space for GMACE. Interbull Bulletin 50, p 85-93.

VanRaden, P.M. and Sullivan, P.G. 2010. International genomic evaluation methods for dairy cattle. Gen. Sel. Evol. 42:7

Sullivan, P.G. and Jakobsen, J.H. 2012. Robust GMACE for young bulls methodology. Interbull Bulletin 45, Article 1.

Sullivan, P.G. 2012a. GMACE reliability approximation. Report to the GMACE working group of Interbull. GMACE_rels 2013

Sullivan, P.G. 2012b. GMACE variance estimation. Report to the GMACE working group of Interbull. GMACE_vce 2013

Sullivan, P.G. 2012c. GMACE Weighting Factors. Report to the GMACE working group of Interbull. GMACE_gedcs 2013

Jakobsen, J.H. and Sullivan, P.G. 2013. Trait specific computation of shared reference population. Reference sharing Nov 2013

NEXT ROUTINE INTERNATIONAL EVALUATION

Dates for next routine run can be found on http://www.interbull.org/ib/servicecalendar

NEXT TEST INTERNATIONAL EVALUATION

Dates for next test run can be found on http://www.interbull.org/ib/servicecalendar

PUBLICATION OF INTERBULL ROUTINE RUN

Results were distributed by the Interbull Centre to designated representatives in each country. The international evaluation file comprised international proofs expressed on the base and unit of each country included in the analysis. Such records readily provide more information on bull performance in various countries, thereby minimising the need to resort to conversions.

At the same time, all recipients of Interbull results are expected to honour the agreed code of practice, decided by the Interbull Steering Committee, and only publish international evaluations on their own country scale. Evaluations expressed on another country scale are confidential and may only be used internally for research and review purposes.

Table 1. National evaluation dates in GMACE run April 2023

```
Country Date
_____
    20230401
DEU
    20230404
DFS
    20230307
FRA
    20230405
GBR
    20230309
NLD
    20230401
ITA
    20230308
    20211122
     20201201
ESP
     20230314
POL
    20230228
_____
```

Table 2. _____ Number of bulls in reference population for _____ CAN 43963.0 DEU 10624.0 46574.0 DFS 5406.0 38857.0 39909.0 FRA 4178.0 35006.0 34439.0 36789.0 GBR 36967.0 11300.0 5916.0 4222.0 39468.0 NLD 4256.0 36901.0 36192.0 34481.0 4591.0 38786.0 ITA 37579.0 10116.0 4750.0 3393.0 36782.0 3592.0 38963.0 HUN 2286.0 8274.0 7688.0 7297.0 2505.0 7827.0 2268.0 9111.0 BEL 727.0 728.0 634.0 710.0 686.0 741.0 719.0 549.0 1719.0 ESP 7006.0 40764.0 39116.0 35100.0 7629.0 36860.0 6310.0 8085.0 703.0 41975.0 POL 5007.0 33985.0 33676.0 30534.0 5444.0 32030.0 4376.0 7642.0 994.0 34353.0 35755.0 ______ Number of bulls in reference population for

CAN 26231.0
DEU 8580.0 31419.0
DFS 4565.0 26098.0 26965.0

FRA 3615.0 23423.0 23068.0 24981.0
NLD 3569.0 24289.0 23856.0 22981.0 25673.0
ITA 21642.0 8226.0 4122.0 3018.0 3058.0 22446.0
HUN 2146.0 4516.0 3992.0 3710.0 4083.0 2136.0 5228.0
ESP 5859.0 27604.0 26313.0 23497.0 24281.0 5424.0 4342.0 28555.0
POL 4145.0 21194.0 21079.0 19032.0 19518.0 3726.0 3923.0 21516.0 22786.0