#### INTRODUCTION

The latest genomic test international evaluation for workability traits took place as scheduled at the Interbull Centre. Data from 15 countries were included in this evaluation.

International genetic evaluations for workability traits of bulls were computed from: AUS CAN CHE DEU DFS FRA GBR NLD SVN NZL ITA JPN ESP CZE POL Holstein data were included in this evaluation.

CAN, DEU, FRA, DFS, GBR, NLD, ESP, POL submitted GEBVs.

msp: CAN, DEU, FRA, DFS, GBR, NLD, , ESP, POL tem: , DEU, , DFS, GBR, NLD

#### CHANGES IN NATIONAL PROCEDURES

\_\_\_\_\_\_

Changes in the national genetic evaluation of workability traits are as follows:

- CAN (HOL) Base change
- DFS (HOL) Change in status of bulls

Base change

- FRA (HOL) Base change
- ITA (HOL) Cut off one year of data and base change
- NLD (HOL) Added age at scoring for temperament and month of calving for milking speed.
- ESP (HOL) Exclusion from national genomic evaluation of candidates and culled bulls older than 2 years old.
- Reduction in reliability due to reduction of parent average's reliability
- GBR (HOL) Base change

DEU (HOL)

- BEL (HOL) Base change

## INTERBULL CHANGES COMPARED TO THE DECEMBER ROUTINE RUN

\_\_\_\_\_

No changes in Interbull procedures

DATA AND METHOD OF ANALYSIS

Thirteen Holstein populations sent GEBV data for up to 38 traits, while

classical EBVs for the same traits were used in the analyses. Young bull GEBVs from the GEBV providers have been converted to the scales of all countries participating in classical MACE. A bull will get a MACE EBV or a GMACE EBV but not both.

From those thirteen countries, National GEBVs of bulls less than seven years of age and with no classical MACE proofs were included for the breeding value prediction with a further requirement of either a MACE-PA or a GMACE-PA (for young genomic bulls with young genomic sires) being available.

The parameter-space approach is used for the GMACE genetic evaluations (Sullivan, 2016)

## SCIENTIFIC LITERATURE

The international genetic evaluation procedure is based on international work described in the following scientific publications:

Sullivan, P.G. 2016. Defining a Parameter Space for GMACE. Interbull Bulletin 50, p 85-93.

VanRaden, P.M. and Sullivan, P.G. 2010. International genomic evaluation methods for dairy cattle. Gen. Sel. Evol. 42:7

Sullivan, P.G. and Jakobsen, J.H. 2012. Robust GMACE for young bulls methodology. Interbull Bulletin 45, Article 1.

Sullivan, P.G. 2012a. GMACE reliability approximation. Report to the GMACE working group of Interbull. GMACE\_rels 2013

Sullivan, P.G. 2012b. GMACE variance estimation. Report to the GMACE working group of Interbull. GMACE\_vce 2013

Sullivan, P.G. 2012c. GMACE Weighting Factors. Report to the GMACE working group of Interbull. GMACE\_gedcs 2013

Jakobsen, J.H. and Sullivan, P.G. 2013. Trait specific computation of shared reference population. Reference sharing Nov 2013

#### NEXT ROUTINE INTERNATIONAL EVALUATION

Dates for next routine run can be found on http://www.interbull.org/ib/servicecalendar

### NEXT TEST INTERNATIONAL EVALUATION

Dates for next routine run can be found on http://www.interbull.org/ib/servicecalendar

\_\_\_\_\_\_

#### PUBLICATION OF INTERBULL ROUTINE RUN \_\_\_\_\_

Results were distributed by the Interbull Centre to designated representatives in each country. The international evaluation file comprised international proofs expressed on the base and unit of each country included in the analysis. Such records readily provide more information on bull performance in various countries, thereby minimising the need to resort to conversions.

At the same time, all recipients of Interbull results are expected to honour the agreed code of practice, decided by the Interbull Steering Committee, and only publish international evaluations on their own country scale. Evaluations expressed on another country scale are confidential and may only be used internally for research and review purposes.

Table 1. National evaluation dates in GMACE run April 2021

Country	Date			
CAN	20210401			
DEU	20210407			
DFS	20210302			
FRA	20210407			
NLD	20210401			
GBR	20210309			
ITA	20201104			
ESP	20210319			
POL	20210407			

\_\_\_\_\_

## Table 2.

Number of bulls in reference population for CAN 22407.0 DEU 5311.0 35592.0 DFS 3840.0 32617.0 33442.0 FRA 3597.0 30752.0 30359.0 32321.0 NLD 3531.0 31996.0 31638.0 30360.0 33413.0 GBR 18841.0 5550.0 4079.0 3705.0 3808.0 20823.0 ITA 19023.0 4531.0 3045.0 2888.0 2821.0 17842.0 19440.0 ESP 4275.0 33274.0 32726.0 30808.0 32046.0 4495.0 3520.0 33981.0 POL 3911.0 28101.0 28039.0 26429.0 27514.0 3842.0 3113.0 28272.0 29639.0

# \_\_\_\_\_ Number of bulls in reference population for tem

DEU 33244.0 DFS 30271.0 30945.0 NLD 29742.0 29286.0 31005.0 GBR 5122.0 3650.0 3456.0 20055.0